


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	ECO #7477	03/03/09	A.D.M.



NOTES:


MATERIALS:

1. INSULATORS = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
2. CONTACT & SPRING = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.
3. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

1. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.
2. SPRING = NICKEL PLATE PER QQ-N-290, CLASS 1, GRADE G, EXCEPT .0001 TO .0002 THICK OVER .00005 TO .0001 THICK COPPER PER MIL-C-14550.
3. ALL OTHER METAL PARTS = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.

Property of Radiall Incorporated
 This document cannot be reproduced or
 communicated to a third party without prior
 written permission of RADIALL Incorporated.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON	DWN: A.D.M.	DATE 03/03/09	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513 a RADIALL company	75 ohm SNAP-ON RIGHT ANGLE FEMALE PLUG COMPRESSION TYPE FOR RG-316 & SIMILAR CABLES	
	CHKD: D.N.	DATE 03/03/09		SIZE A	FSCM NO. 19505
DECIMAL	ANGLE	APVD: J.M.	DATE 03/03/09	REV A	
REFERENCE:	MATERIALS & FINISHES: SEE NOTES	SCALE 4:1	THIRD ANGLE PROJECTION	SHEET 1 OF 1	
ORIGINATOR: M.M. DATE: 10/27/82					

2705-1551-003