


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	04/20/10	A.D.M.



NOTES:

MATERIALS:

1. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
2. CONTACT = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.
3. GASKET = SILICONE RUBBER PER ZZ-R-765, CLASS 2B, GRADE 65-75.
4. LOCKWASHER = PHOSPHOR BRONZE PER ASTM B139, COPPER ALLOY C53400, TEMPER H04.
5. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

1. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.
2. SOLDER FITTING = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.
3. ALL OTHER METAL PARTS = NICKEL PLATE PER QQ-N-290, CLASS 1, GRADE G, EXCEPT .0001 TO .0002 THICK OVER .00005 TO .0001 THICK COPPER PER MIL-C-14550.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON	DWN:	A.D.M.	DATE	04/20/10
	CHKD:	D.N.	DATE	04/20/10
	APVD:	J.M.	DATE	04/20/10
DECIMAL	ANGLE			
REFERENCE:	MATERIALS & FINISHES:	SEE NOTES		
ORIGINATOR: A.D.M.	DATE: 04/20/10			

Property of Radiall

This document cannot be reproduced or communicated to a third party without prior written permission of RADIALL.

**TNC STRAIGHT JACK  
BULKHEAD REAR MOUNT COMPRESSION TYPE  
FOR .141 S/R & SIMILAR CABLES**

SIZE	FSCM NO.	DWG NO.	REV
A	19505	6001-7041-009	A
SCALE 4:1	THIRD ANGLE PROJECTION		SHEET 1 OF 1

6001-7041-009