


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	04/15/03	A.D.M.
A	ECO #6040	10/31/05	D.N.



PROPRIETARY INFORMATION
 NOT TO BE RELEASED
 WITHOUT WRITTEN PERMISSION
 FROM AN AUTHORIZED
 REPRESENTATIVE OF
 APPLIED ENGINEERING PRODUCTS

MOUNTING HOLE
 SCALE 2:1



NOTES:

MATERIALS:

1. FRONT INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
2. INSULATOR = TORLON POLYAMIDE-IMIDE TYPE 4203 PER ASTM D5204.
3. ALL OTHER METAL PARTS = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.

FINISHES:

1. ALL METAL PARTS = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN: A.D.M.	DATE: 04/15/03	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513
		CHKD: G.A.T.	DATE: 04/15/03	
DECIMAL	ANGLE	APVD: D.J.C.	DATE: 04/15/03	
REFERENCE: Y-1223-7		MATERIALS & FINISHES: SEE NOTES		SIZE: A FSCM NO.: 19505 DWG NO.: 7503-1582-110 REV: A
ORIGINATOR: A.D.M. DATE: 04/15/03				SCALE: 10:1 THIRD ANGLE PROJECTION  SHEET 1 OF 1

7503-1582-110