



**STRAIGHT PLUG SOLDER TYPE**


**M125.068.C00**

**CABLE SHF8M**

Series : SMA



All dimensions are in mm.



COMPONENTS	MATERIALS	PLATING (µm)
BODY	STAINLESS STEEL	PASSIVATION
CENTER CONTACT	BRASS	GOLD 1.3 OVER NICKEL 2
OUTER CONTACT	-	-
INSULATOR	PEEK	
GASKET	FLUOROSILICONE + SILICONE	
-	RUBBER	
-		
OTHERS PARTS	BRASS	GOLD 0.5 OVER NICKEL 2

Issue : 1002A

In the effort to improve our products, we reserve the right to make changes judged to be necessary.



**STRAIGHT PLUG SOLDER TYPE**

**M125.068.C00**

**CABLE SHF8M**

Series : SMA

**PACKAGING**

Standard	Unit	Other
<b>100</b>	<b>Option 'W'</b>	<b>Contact us</b>

**SPECIFICATION**

**ELECTRICAL CHARACTERISTICS**

Impedance	<b>50</b>	$\Omega$
Frequency	<b>0-18</b>	GHz
VSWR	<b>1.12* + 0,0000</b>	x F(GHz) Maxi
Insertion loss	<b>0.1</b>	$\sqrt{F}$ (GHz) dB Maxi
RF leakage	- ( <b>90</b> )	- F(GHz)) dB
Voltage rating	<b>350</b>	Veff Maxi
Dielectric withstanding voltage	<b>1500</b>	Veff mini
Insulation resistance	<b>5000</b>	M $\Omega$ mini

**CABLE ASSEMBLY**

Stripping	a	b	c	d	e	f
mm	7,80	0,00	0,00	0,00	0,00	0,00

Assembly instruction :

Recommended cable(s)  
SHF8M

Characteristics indicated on this data sheet are those that can be achieved with the highest performance cable. Intrinsic limitations of the cable may diminish the performance of the assembly

Cable retention

- pull off	<b>360</b>	N mini
- torque	<b>NA</b>	N.cm

**MECHANICAL CHARACTERISTICS**

Center contact retention		
Axial force – Mating end	<b>360</b>	N mini
Axial force – Opposite end	<b>360</b>	N mini
Torque	<b>NA</b>	N.cm mini

**TOOLING**

Part Number	Description	Hexagon
.	.	.

Recommended torque		
Mating	<b>110</b>	N.cm
Panel nut	<b>NA</b>	N.cm
Clamp nut	<b>170</b>	N.cm
A/F clamp nut	<b>14,5000</b>	mm

**OTHER CHARACTERISTICS**

\*1.07 de DC à 12.4 GHz

Mating life	<b>5000</b>	Cycles mini
Weight	<b>40,34</b>	g

**ENVIRONMENTAL**

Operating temperature	<b>-55/+125</b>	$^{\circ}$ C
Hermetic seal	<b>NA</b>	mBar.L.s
Panel leakage	<b>NA</b>	

Issue : 1002A

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

